



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: School Lead (32817)

Client: Bluffview Montessori School

Account #: 47015

Andy Richardson
Bluffview Montessori School
1321 Gillmore Ave
Winona, MN 55987

Certificate of Analysis

Approval

All data reported has been reviewed and approved by:

Dave Smahel, Inorganic Chemistry/Feed Lab Manager New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, November 14, 2023 4:59:04 PM

Page 1 of 12

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
 2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
 1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
 www.MVTL.com

**Workorder:** School Lead (32817)**Client:** Bluffview Montessori School**Analytical Results**

Lab ID:	32817001	Date Collected:	10/27/2023 06:13	Matrix:	Potable Water		
Sample ID:	Kitchen Rinse	Date Received:	10/31/2023 09:38				
Temp @ Receipt (C):							
Parameter		Results	Units	MCL	Method	Analyzed	Qual
Lead		0.73	ug/L	15	EPA 200.8	11/13/2023 22:39	
Lab ID:	32817002	Date Collected:	10/27/2023 06:14	Matrix:	Potable Water		
Sample ID:	Kitchen Prep	Date Received:	10/31/2023 09:38				
Temp @ Receipt (C):							
Parameter		Results	Units	MCL	Method	Analyzed	Qual
Lead		<0.5	ug/L	15	EPA 200.8	11/13/2023 22:40	
Lab ID:	32817003	Date Collected:	10/27/2023 06:14	Matrix:	Potable Water		
Sample ID:	Kitchen 3-Compartment	Date Received:	10/31/2023 09:38				
Temp @ Receipt (C):							
Parameter		Results	Units	MCL	Method	Analyzed	Qual
Lead		<0.5	ug/L	15	EPA 200.8	11/13/2023 22:41	
Lab ID:	32817004	Date Collected:	10/27/2023 06:16	Matrix:	Potable Water		
Sample ID:	Nurse	Date Received:	10/31/2023 09:38				
Temp @ Receipt (C):							
Parameter		Results	Units	MCL	Method	Analyzed	Qual
Lead		<0.5	ug/L	15	EPA 200.8	11/13/2023 22:43	
Lab ID:	32817005	Date Collected:	10/27/2023 06:19	Matrix:	Potable Water		
Sample ID:	Front Water Fountain L	Date Received:	10/31/2023 09:38				
Temp @ Receipt (C):							
Parameter		Results	Units	MCL	Method	Analyzed	Qual
Lead		<0.5	ug/L	15	EPA 200.8	11/13/2023 22:44	
Lab ID:	32817006	Date Collected:	10/27/2023 06:21	Matrix:	Potable Water		
Sample ID:	Front Water Fountain U	Date Received:	10/31/2023 09:38				
Temp @ Receipt (C):							
Parameter		Results	Units	MCL	Method	Analyzed	Qual
Lead		<0.5	ug/L	15	EPA 200.8	11/13/2023 22:45	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, November 14, 2023 4:59:04 PM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: School Lead (32817)

Client: Bluffview Montessori School

Analytical Results

Lab ID: 32817007 **Date Collected:** 10/27/2023 06:21 **Matrix:** Potable Water
Sample ID: Front Water Fountain **Date Received:** 10/31/2023 09:38
B
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 22:54	

Lab ID: 32817008 **Date Collected:** 10/27/2023 06:23 **Matrix:** Potable Water
Sample ID: E2C **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.85	ug/L	15	EPA 200.8	11/13/2023 22:55	

Lab ID: 32817009 **Date Collected:** 10/27/2023 06:24 **Matrix:** Potable Water
Sample ID: Art **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.99	ug/L	15	EPA 200.8	11/13/2023 22:56	

Lab ID: 32817010 **Date Collected:** 10/27/2023 06:25 **Matrix:** Potable Water
Sample ID: Gym **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.77	ug/L	15	EPA 200.8	11/13/2023 22:58	

Lab ID: 32817011 **Date Collected:** 10/27/2023 06:27 **Matrix:** Potable Water
Sample ID: E2A **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.63	ug/L	15	EPA 200.8	11/13/2023 22:59	

Lab ID: 32817012 **Date Collected:** 10/27/2023 06:47 **Matrix:** Potable Water
Sample ID: CH3 K **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.65	ug/L	15	EPA 200.8	11/13/2023 23:00	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, November 14, 2023 4:59:04 PM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: School Lead (32817)

Client: Bluffview Montessori School

Analytical Results

Lab ID: 32817013 **Date Collected:** 10/27/2023 06:48 **Matrix:** Potable Water
Sample ID: CH3 B **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.53	ug/L	15	EPA 200.8	11/13/2023 23:01	

Lab ID: 32817014 **Date Collected:** 10/27/2023 06:49 **Matrix:** Potable Water
Sample ID: CH3 F **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:02	

Lab ID: 32817015 **Date Collected:** 10/27/2023 06:51 **Matrix:** Potable Water
Sample ID: EIB K **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:03	

Lab ID: 32817016 **Date Collected:** 10/27/2023 06:52 **Matrix:** Potable Water
Sample ID: EIB B **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:05	

Lab ID: 32817017 **Date Collected:** 10/27/2023 06:53 **Matrix:** Potable Water
Sample ID: EIC K **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.65	ug/L	15	EPA 200.8	11/13/2023 23:14	

Lab ID: 32817018 **Date Collected:** 10/27/2023 06:53 **Matrix:** Potable Water
Sample ID: EIC B **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.51	ug/L	15	EPA 200.8	11/13/2023 23:15	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, November 14, 2023 4:59:04 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
 2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
 1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
 www.MVTL.com

**Workorder:** School Lead (32817)**Client:** Bluffview Montessori School**Analytical Results**

Lab ID: 32817019 **Date Collected:** 10/27/2023 06:56 **Matrix:** Potable Water
Sample ID: Teacher's Lounge **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.67	ug/L	15	EPA 200.8	11/13/2023 23:16	

Lab ID: 32817020 **Date Collected:** 10/27/2023 06:58 **Matrix:** Potable Water
Sample ID: Erd **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:17	

Lab ID: 32817021 **Date Collected:** 10/27/2023 07:00 **Matrix:** Potable Water
Sample ID: Science **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.35	ug/L	15	EPA 200.8	11/13/2023 23:18	

Lab ID: 32817022 **Date Collected:** 10/27/2023 06:29 **Matrix:** Potable Water
Sample ID: E2B **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:20	

Lab ID: 32817023 **Date Collected:** 10/27/2023 06:32 **Matrix:** Potable Water
Sample ID: Mid Water Fountain L **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.75	ug/L	15	EPA 200.8	11/13/2023 23:21	

Lab ID: 32817024 **Date Collected:** 10/27/2023 06:33 **Matrix:** Potable Water
Sample ID: Mid Water Fountain U **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:22	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, November 14, 2023 4:59:04 PM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: School Lead (32817)

Client: Bluffview Montessori School

Analytical Results

Lab ID: 32817025 **Date Collected:** 10/27/2023 06:33 **Matrix:** Potable Water
Sample ID: Mid Water Fountain **Date Received:** 10/31/2023 09:38
B
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:23	

Lab ID: 32817026 **Date Collected:** 10/27/2023 06:35 **Matrix:** Potable Water
Sample ID: EIA **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:24	

Lab ID: 32817027 **Date Collected:** 10/27/2023 06:38 **Matrix:** Potable Water
Sample ID: CH 1 K **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:33	

Lab ID: 32817028 **Date Collected:** 10/27/2023 06:39 **Matrix:** Potable Water
Sample ID: CH 1 B **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:35	

Lab ID: 32817029 **Date Collected:** 10/27/2023 06:40 **Matrix:** Potable Water
Sample ID: CH 1 F **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:36	

Lab ID: 32817030 **Date Collected:** 10/27/2023 06:42 **Matrix:** Potable Water
Sample ID: CH2 K **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:37	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, November 14, 2023 4:59:04 PM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: School Lead (32817)

Client: Bluffview Montessori School

Analytical Results

Lab ID: 32817031 **Date Collected:** 10/27/2023 06:42 **Matrix:** Potable Water
Sample ID: CH 2 B **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:38	

Lab ID: 32817032 **Date Collected:** 10/27/2023 06:44 **Matrix:** Potable Water
Sample ID: CH 2 F **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:39	

Lab ID: 32817033 **Date Collected:** 10/27/2023 07:02 **Matrix:** Potable Water
Sample ID: Erd Water Fountain F **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:40	

Lab ID: 32817034 **Date Collected:** 10/27/2023 07:03 **Matrix:** Potable Water
Sample ID: Erd Water Fountain B **Date Received:** 10/31/2023 09:38
Temp @ Receipt (C):

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	11/13/2023 23:41	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: School Lead (32817)

Client: Bluffview Montessori School

MVTL Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073
Phone: (507) 354-8517
Toll Free: (800) 782-3557 Fax: (507) 359-2890

Bluffview Montessori Scho
WO: 32817

Chain of Custody Record
Page ___ of ___

Work Order #
Email:

Company Name and Address:
Bluffview Montessori School
1321 Gilmore Ave. Winona MN 55987

Account #: 47015 Phone #:
Billing Address (indicate if different from above):

Transferred by: Date: Time: Sample Condition: Received by: Date: Time: Temp:

1. KS 31 Oct 23 09:38 11.2C TM 771

2.

Comments:

Sample Information						
Lab Use Only	Sample ID	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
1	Kitchen Rinse		10-27-23	6:13	1	
2	Kitchen Prep		10-27	6:14	1	
3	Kitchen 3-compart		10-27	6:14	1	
4	Nurse		10-27	6:16	1	
5	Front Water Fountain -L		10-27	6:19	1	
6	Front Water Fountain -U		10-27	6:21	1	
7	Front Water Fountain -B		10-27	6:21	1	
8	E2C		10-27	6:23	1	
9	Art		10-27	6:24	1	
10	Gym		10-27	6:25	1	
11	EDA		10-27	6:27	1	

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvttl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Please submit the top two copies with your samples.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, November 14, 2023 4:59:04 PM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: School Lead (32817)

Client: Bluffview Montessori School

MVTL Minnesota Valley Testing Laboratories, Inc.
1126 North Front Street, Building 2
New Ulm, MN 56073
Phone: (507) 354-8517
Toll Free: (800) 782-3557 Fax: (507) 359-2890

Chain of Custody Record
Page ____ of ____

Lab Use Only

Work Order # **32817**
Email: _____

Company Name and Address: _____

Account #: _____ Phone #: _____

Billing Address (indicate if different from above):
Bluffview Montessori School
1321 Gilmore Ave. Winona MN, 559187

Quote Number: _____ Date Submitted: _____
Project Name/Number: _____ Purchase Order #: _____

Transferred by: _____ Date: _____ Time: _____

1.	Sample Condition:	Received by:	Date:	Time:	Temp:
2.					

Comments: _____

Sample Information						
Lab Use Only Lab #	Sample ID	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis
12	CH3 - K		10-27-23	6:47	1	
13	CH3 - B		10-27	6:48	1	
14	CH3 - F		10-27	6:49	1	
15	EIB - K		10-27	6:51	1	
16	EIB - B		10-27	6:52	1	
17	EIC - K		10-27	6:53	1	
18	EIC - B		10-27	6:53	1	
19	Teacher's Lounge		10-27	6:56	1	
20	Erd		10-27	6:58	1	
21	Science		10-27	7:00	1	

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvttl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Please submit the top two copies with your samples.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, November 14, 2023 4:59:04 PM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
 2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
 1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
 www.MVTL.com



Workorder: School Lead (32817)

Client: Bluffview Montessori School

MVTL	Minnesota Valley Testing Laboratories, Inc.	Lab Use Only	Page _____ of _____					
	1126 North Front Street, Building 2 New Ulm, MN 56073 Phone: (507) 354-8517 Toll Free: (800) 782-3557 Fax: (507) 359-2890		Work Order # 32817	Email:				
Company Name and Address: Bluffview Montessori School 1321 Gilmore Ave, Winona MN 55987		Contact (Report to):						
Account #:	Phone #:	Name of Samplers:						
Billing Address (indicate if different from above):								
Transferred by:		Date:	Time:	Sample Condition:	Received by:	Date:	Time:	Temp:
1.								
2.								
Comments:								
Sample Information								
Lab Use Only Lab #	Sample ID	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis		
22	E2B		10-27-23	6:29	1			
23	Mid Water Fountain - L		10-27	6:32	1			
24	Mid Water Fountain - U		10-27	6:33	1			
25	Mid Water Fountain - B		10-27	6:33	1			
26	E1A		10-27	6:35	1			
27	CH1 - K		10-27	6:38	1			
28	CH1 - B		10-27	6:39	1			
29	CH1 - F		10-27	6:40	1			
30	CH2 - K		10-27	6:42	1			
31	CH2 - B		10-27	6:42	1			
32	CH2 - F		10-27	6:44	1			

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvttl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Please submit the top two copies with your samples.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, November 14, 2023 4:59:04 PM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: School Lead (32817)

Client: Bluffview Montessori School

Minnesota Valley Testing Laboratories, Inc. 1126 North Front Street, Building 2 New Ulm, MN 56073 Phone: (507) 354-8517 Toll Free: (800) 782-3557 Fax: (507) 359-2890		Chain of Custody Record Page ____ of ____					
				Lab Use Only			
Company Name and Address: Bluffview Montessori School 1321 Gilmore Ave Winona MN 55987		Work Order # 32817					
Account #: _____ Phone #: _____		Email: _____					
Billing Address (indicate if different from above):		Contact (Report to):					
		Name of Samplers:					
		Quote Number _____ Date Submitted: _____					
		Project Name/Number: _____ Purchase Order #: _____					
Transferred by:	Date:	Time:	Sample Condition:	Received by:	Date:	Time:	Temp:
1.							
2.							
Comments:							
Sample Information							
Lab Use Only Lab #	Sample ID	Sample Type	Date Sampled	Time Sampled	Number of Bottles	Analysis	
33	Earl Water Fountain - F		10-27-23	7:02	1		
34	Earl Water Fountain - B		10-27	7:03	1		

Enclosed are your containers for your sampling event. Completely fill and label containers appropriately for the analyses to be conducted. Complete chain of custody and submit with samples. For questions regarding individual parameter holding times, chemical and thermal preservation and sample volumes please refer to our sample preservation guide on our website at www.mvtl.com or by contacting customer service at 1-800-782-3557. If samples show signs of contamination, inadequate preservation or are in any way compromised you will be contacted as to whether to proceed with analysis or submit a new sample.

Please submit the top two copies with your samples.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, November 14, 2023 4:59:04 PM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: School Lead (32817)

Client: Bluffview Montessori School



Sample Condition Checklist

Date: 31 Oct 23 Time: 09:38 AM By: KS
Account Name: Bluffview Montessori School Account # 47015
Bill of Lading #: 2324446 Cooler #: 2324446
Temp: 11.2 °C ROI Ambient Tracking #: 003317 06 30023 82195
TM#: 771 Ice Crystals Present in Sample
MVTL Courier: MVTL Route: Walk-In UPS Air FedEx Air SpeedDee
Mall UPS Ground Fed Ex Ground
Containers Supplied by MVTL: Yes No Designate customer supplied containers as "Other" in container size column

Table with columns: Number, Containers Size (ml), Container Type, Preservation, pH. Includes rows for various container types and sizes, and a note: **DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!**

*ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, November 14, 2023 4:59:04 PM